WHOLESALE / OEM / PRIVATE LABEL

Electric Fan Product Catalog

Household and industrial fan solutions for importers, distributors and appliance brands.



FS01



FS02



FS03



FS04



FS05



FS06

Dylan Lan

WhatsApp: +86 151 1353 1937

www.airsmoot.com

2026 COLLECTION

ABOUT AIRSMOOT

Built Around Your Fan Order

AIRSMOOT is an electric fan manufacturer based in Zhongshan, Guangdong, China. We supply household and industrial pedestal fans, floor fans, tower fans and misting fans for wholesale and private-label orders.

We work with importers, distributors and appliance brands to confirm model selection, electrical configuration, logo artwork and packaging before production. Sample review and order-specific inspection requirements connect your sourcing brief to the finished product.

ESTABLISHED	FACTORY AREA	TEAM
2016	3,000 m2	40+ staff

ASSEMBLY LINES	MONTHLY CAPACITY	EXPORT MARKETS
4	10,000-30,000 units	30+ countries

FROM REQUIREMENTS TO SHIPMENT

01 / Specify

Choose models, sizes, quantity and destination-market requirements.

02 / Confirm

Agree on the configuration, artwork, sample and packing method.

03 / Produce & Ship

Confirm production scheduling, inspection and container planning.

FACTORY LOCATION

No. 46 Xing'an Road, Tong'an Village, Dongfeng Town, Zhongshan, Guangdong, China.
Zhongshan Airsmoot Electrical Appliance Co., Ltd.

Capacity varies by model and configuration. Confirm the production schedule for your order. Contact Dylan Lan before arranging a factory visit.

MANUFACTURING OPERATIONS

A Look Inside Production

Production, component assembly, parts storage and export loading - photographs supplied for the AIRSMOOT website.



Fan assembly

Assembly stations with fan components and finished units.



Component assembly

Fan components and assembly equipment at the workbench.



Parts storage

Components stored for production and assembly.



Export loading

Packed fan cartons loaded into a shipping container.

Explore our factory and quality information

CONVERTIBLE COOLING / FS01

FS01 | 3-in-1 Pedestal, Wall & Floor Fan



REFERENCE SPECIFICATIONS

SIZE
16 / 18 inch

POWER
55-80 W

VOLTAGE
110 / 220 V, 50/60 Hz

SPEED
1,250 rpm

MOTOR
Aluminum / copper

BLADE
3 / 5 blades, plastic / iron

POWER CORD
1.5 m, customizable

NET / GROSS WEIGHT
3.85 / 4.2 kg per unit

One model with pedestal, wall-mounted and floor configurations. Available in 16-inch and 18-inch sizes for wholesale and branded product ranges.

PACKING & CONTAINER PLANNING

16 / 18-inch shared packing: 62 x 17.5 x 50.5 cm · 2 units/carton

20GP: 1,000 pcs · 40HQ: 2,500 pcs

ORDER & CUSTOMIZATION

Standard: 100 units/model | Custom logo: 500 units/model
Full custom color box: 1,000 units/model. Other options require confirmation.

Electrical options: 110 / 220 V, 50/60 Hz, subject to the selected configuration. Request applicable CE and RoHS documentation for your model and destination market.

Specifications vary by size and configuration. Packing and loading are planning references; confirm final figures with your order.

View product & request a quote

INDUSTRIAL COOLING / FS02

FS02 | Industrial Pedestal Fan



REFERENCE SPECIFICATIONS

SIZE
20 / 26 / 30 inch

POWER
150-280 W

VOLTAGE
110 / 220 V, 50/60 Hz

AIRFLOW
17,400 m3/h

SPEED
1,420 rpm · 3 settings

MOTOR
Aluminum / copper

BLADE
3 blades, plastic / aluminum

POWER CORD
3 m, customizable

A 20-inch, 26-inch or 30-inch pedestal fan for workshop, warehouse and commercial airflow. Request the specifications and packing data for your selected size.

PACKING & CONTAINER PLANNING

20-inch reference: 72 x 21 x 72 cm · 1 unit/carton

20-inch reference - 20GP: 252 pcs · 40HQ: 500 pcs

ORDER & CUSTOMIZATION

Standard: 100 units/model | Custom logo: 500 units/model
Full custom color box: 1,000 units/model. Other options require confirmation.

Electrical options: 110 / 220 V, 50/60 Hz, subject to the selected configuration. Request applicable CE and RoHS documentation for your model and destination market.

Specifications vary by size and configuration. Packing and loading are planning references; confirm final figures with your order.

View product & request a quote

HOUSEHOLD COOLING / FS03

FS03 | Remote Control Pedestal Fan



REFERENCE SPECIFICATIONS

SIZE
16 / 18 inch

POWER
45 W

VOLTAGE
110 / 220 V, 50/60 Hz

SPEED SETTINGS
8 settings

TIMER
9 hours

MOTOR
Aluminum / copper

BLADE
5 blades, plastic / aluminum

NET / GROSS WEIGHT
2.8 / 3 kg

A 16-inch or 18-inch household pedestal fan with remote control and timer functions. Discuss branding and packaging for your retail range.

PACKING & CONTAINER PLANNING

16 / 18-inch shared packing: 51 x 15 x 51 cm · 1 unit/carton

20GP: 600 pcs · 40HQ: 1,550 pcs

ORDER & CUSTOMIZATION

Standard: 100 units/model | Custom logo: 500 units/model
Full custom color box: 1,000 units/model. Other options require confirmation.

Electrical options: 110 / 220 V, 50/60 Hz, subject to the selected configuration. Request applicable CE and RoHS documentation for your model and destination market.

Specifications vary by size and configuration. Packing and loading are planning references; confirm final figures with your order.

View product & request a quote

COMMERCIAL COOLING / FS04

FS04 | Industrial Floor Fan



REFERENCE SPECIFICATIONS

SIZE
12 / 14 / 16 / 18 / 20 inch

POWER
50-140 W

VOLTAGE
110 / 220 V, 50/60 Hz

SPEED
1,350 rpm · 3 settings

AIRFLOW
5,500 m3/h

MOTOR
Aluminum / copper

BLADE
3 blades, plastic / aluminum

POWER CORD
1.2 m, customizable

A floor-standing fan offered in 12-inch, 14-inch, 16-inch, 18-inch and 20-inch sizes. Compare configurations for your commercial or industrial product range.

PACKING & CONTAINER PLANNING

12-inch reference: 32 x 32 x 16 cm · 1 unit/carton

12-inch reference - 20GP: 1,700 pcs · 40HQ: 4,050 pcs

ORDER & CUSTOMIZATION

Standard: 100 units/model | Custom logo: 500 units/model
Full custom color box: 1,000 units/model. Other options require confirmation.

Electrical options: 110 / 220 V, 50/60 Hz, subject to the selected configuration. Request applicable CE and RoHS documentation for your model and destination market.

Specifications vary by size and configuration. Packing and loading are planning references; confirm final figures with your order.

View product & request a quote

SPACE-SAVING COOLING / FS05

FS05 | Tower Fan



REFERENCE SPECIFICATIONS

HEIGHT
86 cm

POWER
50 W

VOLTAGE
110 / 220 V, 50/60 Hz

SPEED SETTINGS
3 settings

TIMER
15 hours

OSCILLATION
Left / right

MOTOR
Aluminum / copper

NET / GROSS WEIGHT
2.8 / 3 kg

An 86 cm tower fan with three speed settings, a timer and oscillation. A slim-format option for your household fan range.

PACKING & CONTAINER PLANNING

18 x 15 x 86 cm · 1 unit/carton

20GP: 1,120 pcs · 40HQ: 2,750 pcs

ORDER & CUSTOMIZATION

Standard: 100 units/model | Custom logo: 500 units/model
Full custom color box: 1,000 units/model. Other options require confirmation.

Electrical options: 110 / 220 V, 50/60 Hz, subject to the selected configuration. Request applicable CE and RoHS documentation for your model and destination market.

Specifications vary by size and configuration. Packing and loading are planning references; confirm final figures with your order.

View product & request a quote

EVAPORATIVE COOLING / FS06

FS06 | Misting Pedestal Fan



REFERENCE SPECIFICATIONS

SIZE
16 / 18 inch

POWER
75 W

VOLTAGE
110 / 220 V, 50/60 Hz

WATER TANK
3.2 L

MIST DURATION
8-12 hours

SPEED
1,350 rpm · 3 settings

AIRFLOW
5,500 m3/h

NET / GROSS WEIGHT
7.1 / 8.4 kg

A 16-inch or 18-inch pedestal fan with a misting function and a 3.2 L water tank. Request the operating specifications for your selected configuration.

PACKING & CONTAINER PLANNING

16-inch reference: 60 x 25.5 x 46 cm · 1 unit/carton

16-inch reference - 20GP: 340 pcs · 40HQ: 680 pcs

ORDER & CUSTOMIZATION

Standard: 100 units/model | Custom logo: 500 units/model
Full custom color box: 1,000 units/model. Other options require confirmation.

Electrical options: 110 / 220 V, 50/60 Hz, subject to the selected configuration. Request applicable CE and RoHS documentation for your model and destination market.

Specifications vary by size and configuration. Packing and loading are planning references; confirm final figures with your order.

View product & request a quote

PLAN YOUR WHOLESALE ORDER

Packing, OEM & Contact

Compare the published packing references below. Request separate data for sizes and packing formats not listed.

Model	Size	Carton (cm)	Qty/ctn	20GP	40HQ
FS01	16 / 18 in	62 x 17.5 x 50.5	2	1,000	2,500
FS02	20 in	72 x 21 x 72	1	252	500
FS03	16 / 18 in	51 x 15 x 51	1	600	1,550
FS04	12 in	32 x 32 x 16	1	1,700	4,050
FS05	86 cm	18 x 15 x 86	1	1,120	2,750
FS06	16 in	60 x 25.5 x 46	1	340	680

Loading quantities are estimated units per container. They depend on the selected size, assembly format and final carton arrangement. Mixed orders require a separate loading review.

YOUR BRAND. YOUR CONFIGURATION.

Logo and color box options; blade, voltage, frequency and regional plug requirements are reviewed by model. Discuss assembled, CKD or SKD packing before confirming your order.

SEND YOUR SOURCING BRIEF

Model + size + quantity per model + destination country + voltage/frequency/plug + branding and packaging requirements + destination port and target schedule.

Dylan Lan

WhatsApp: +86 151 1353 1937

www.airsmoot.com

Product information: October 2026